No Pages	4
Copy No	4.

JOINT PHOTOGRAPHIC INTELLIGENCE BRIEF

ARMY-NAVY-CIA

(Published and Disseminated by CIA/PIC)

SUBJECT : Surface-to-Air Missile

Surface-to-Air Missile

Support Facility

LOCATION: 10 nm ESE of Kharkov, USSR

NO : PIC/JB-58/60

DATE : 5 April 1960

COORD: 49°56'N 36°27'E




Figure 1. SAM SUPPORT FACILITY 10 NM ESE OF KHARKOV.

DECLASS REVIEW by NGA/DOD

VITAL PERADOS CAPY

PIC/JB-58/60



25X1

PIC/JB-58/60

25X1

REFERENCE POINT:

Kharkov RR Station, Yards and Shops, City, 49°59'25"N - 36°12'22"E.

LOCATION:

10 nm east-southeast of reference point.

FUNCTION:

This support facility serves SAM sites deployed for the defense of Kharkov.

FACILITY STATUS:

Final stage of construction and operational.

MISSILES:

Thirty-one canvas-covered missiles on trailers.

VEHICLES AND EQUIPMENT:

Thirty tractors, 31 missile trailers and 19 possible missile trailers.

Four van-type trucks.

One probable mobile heavy crane.

COMMUNICATIONS:

Two possible communication antennas located just east of site entrance.

OVERHEAD POWER and/or COMMUNICATION LINE:

Overhead wire line leads to facility.

STRUCTURES:

Description	Roof Type	No Stories	Dimensions (ft)
Drive-through checkout/ maintenance building	Gable	2	210 x 80
3 Support buildings under			
construction	Gable	1	200×90
Storage building	Gable	1	100×30
Storage building	Gable	1	45×35
Storage building	Shed	.1	25×25
Steam plant	Complex	.1	70×40
2 Drive-through checkout			ti.
buildings	Gable	1	60×35

- 3 -

PIC/JB-58/60

Oxidizer storage shed	Gable	1	45×40
Guardhouse	${ t Hip}$	1	50×40
Support building	Shed	2	20×15

Two lightning arresters are positioned near each of the three storage buildings. These buildings are not revetted as they have been at other support facilities.

Other features include:

Three small support buildings.

25X1

One buried tank 20 feet in diameter.

One buried tank 15 feet in diameter.

Two horizontal tanks, revetted, each in diameter.

Four possible horizontal tanks, located in groups of two, each 20 feet long by 5 feet in diameter.

SECURITY:

Irregular-shaped security fence encloses facility.

Irregular-shaped security fence encloses missile checkout and maintenance area.

Four guard towers.

Peripheral light poles.

REMARKS:

This facility is situated on gently rolling terrain.

An antiaircraft garrison with an unoccupied 8-gun AA position is located just west of the facility.

25X1

MAP REFERENCES:

WAC 234; AMS-Series N 501, Sheet NM 37-7.